

By [AMR](#), [GReAT](#) on April 10, 2019. 3:10 am

## Executive summary

'TajMahal' is a previously unknown and technically sophisticated APT framework discovered by Kaspersky Lab in the autumn of 2018. This full-blown spying framework consists of two packages named 'Tokyo' and 'Yokohama'. It includes backdoors, loaders, orchestrators, C2 communicators, audio recorders, keyloggers, screen and webcam grabbers, documents and cryptography key stealers, and even its own file indexer for the victim's machine. We discovered up to 80 malicious modules stored in its encrypted Virtual File System, one of the highest numbers of plugins we've ever seen for an APT toolset.

Just to highlight its capabilities, TajMahal is able to steal data from a CD burnt by a victim as well as from the printer queue. It can also request to steal a particular file from a previously seen USB stick; next time the USB is connected to the computer, the file will be stolen.

TajMahal has been developed and used for at least the past five years. The first known 'legit' sample timestamp is from August 2013, and the last one is from April 2018. The first confirmed date when TajMahal samples were seen on a victim's machine is August 2014.

More details about TajMahal are available to customers of the Kaspersky Intelligence Reporting service (contact [intelreports@kaspersky.com](mailto:intelreports@kaspersky.com)).

## Technical details

We have discovered two different types of TajMahal packages, self-named Tokyo and Yokohama. The targeted systems found by Kaspersky Lab were infected with both packages. This suggests that Tokyo was used as first stage infection, deploying the fully-functional Yokohama package on interesting victims, and then left in for backup purposes. The packages share the same code base, we identified the following interesting features:

- Capable of stealing documents sent to the printer queue.
- Data gathered for victim recon includes the backup list for Apple mobile devices.

We use cookies to make your experience of our websites better. By using and further navigating this website you accept this. Detailed information about the use of cookies on this website is available by clicking on more information.

ACCEPT AND CLOSE

- Steals Internet Explorer, Netscape Navigator, FireFox and RealNetworks cookies.
- If deleted from Frontend file or related registry values, it will reappear after reboot with a new name and startup type.

## Victims

So far we have detected a single victim based on our telemetry – a diplomatic entity from a country in Central Asia.

## Conclusion

The TajMahal framework is an intriguing discovery that's of great interest, not least for its high level of technical sophistication, which is beyond any doubt. The huge amount of plugins that implement a number of features is something we have never before seen in any other APT activity. For example, it has its own indexer, emergency C2s, is capable of stealing specific files from external drives when they become available again, etc.

The question is, why go to all that trouble for just one victim? A likely hypothesis is that there are other victims we haven't found yet. This theory is reinforced by the fact that we couldn't see how one of the files in the VFS was used by the malware, opening the door to the possibility of additional versions of the malware that have yet to be detected.

Kaspersky Lab products detect the TajMahal APT samples as HEUR:Trojan.Multi.Chaperone.gen

## Appendix I – Indicators of compromise

A full set of IOCs and Yara rules is available to customers of Kaspersky Intelligence Reporting service – contact [intelreports@kaspersky.com](mailto:intelreports@kaspersky.com)

### Domains and IPs

104.200.30.125

50.56.240.153

rahasn.webhop.org

rahasn.akamake.net

rahasn.homewealth.biz

We use cookies to make your experience of our websites better. By using and further navigating this website you accept this. Detailed information about the use of cookies on this website is available by clicking on more information.

ACCEPT AND CLOSE

412956675fbc3f8c51f438c1abc100eb  
490a140093b5870a47edc29f33542fd2  
51a7068640af42c3a7c1b94f1c11ab9d  
533340c54bd25256873b3dca34d7f74e  
684eca6b62d69ce899a3ec3bb04d0a5b  
69a19abf5ba56ee07cdd3425b07cf8bf  
6cfd131fef548fcd60fbcdb59317df8e  
72dc98449b45a7f1ccdef27d51e31e91  
7c733607a0932b1b9a9e27cd6ab55fe0  
7d5265e814843b24fcb3787768129040  
80c37e062aa4c94697f287352acf2e9d  
815f1f8a7bc1e6f94cb5c416e381a110  
a43d3b31575846fa4c3992b4143a06da  
08e82dc7bae524884b7dc2134942aadb  
7bcd736a2394fc49f3e27b3987cce640  
57314359df11ffdf476f809671ec0275  
b72737b464e50aa3664321e8e001ff32  
ce8ce92fb6565181572dce00d69c24f8  
5985087678414143d33ffc6e8863b887  
84730a6e426fbd3cf6b821c59674c8a0  
d5377dc1821c935302c065ad8432c0d2  
d8f1356bebda9e77f480a6a60eab36bb  
92f8e3f0f1f7cc49fad797a62a169acd  
9003cfaac523e94d5479dc6a10575e60  
df91b86189adb0a11c47ce2405878fa1  
e17bd40f5b5005f4a0c61f9e79a9d8c2  
c1e7850da5604e081b9647b58248d7e8  
99828721ac1a0e32e4582c3f615d6e57  
f559c87b4a14a4be1bd84df6553aaf56  
b9c208ea8115232bfd9ec2c62f32d6b8  
061089d8cb0ca58e660ce2e433a689b3  
0e9afd3a870906ebf34a0b66d8b07435  
9c115e9a81d25f9d88e7aaa4313d9a8f  
520ee02668a1c7b7c262708e12b1ba6b  
7bfba2c69bed6b160261bdbf2b826401  
77a745b07d9c453650dd7f683b02b3ed  
3a771efb7ba2cd0df247ab570e1408b2  
0969b2b399a8d4cd2d751824d0d842b4  
fc53f2cd780cd3a01a4299b8445f8511  
4e39620afca6f60bb30e031ddc5a4330  
bfe3f6a79cad5b9c642bb56f8037c43b  
3dfebce4703f30eed713d795b90538b5  
9793afcea43110610757bd3b800de517  
7c4d2400c21400c1f75f366704410

We use cookies to make your experience of our websites better. By using and further navigating this website you accept this. Detailed information about the use of cookies on this website is available by clicking on more information. ACCEPT AND CLOSE

```

320b2f1d9551b5d1df4fb19bd9ab253a
3d75c72144d873b3c1c4977fbafe9184
b9cf4301b7b186a75e82a04e87b30fe4
b4e67706103c3b8ee148394ebee3f268
7bfb72441e1f2ed48fbc0f33be00f24
cdb303f61a47720c7a8c5086e6b2a743
2a6f7ec77ab6bd4297e7b15ae06e2e61
8403a28e0bffa9cc085e7b662d0d5412
3ffd2915d285ad748202469d4a04e1f5
04078ef95a70a04e95bda06cc7bec3fa
235d427f94630575a4ea4bff180ecf5d
8035a8a143765551ca7db4bc5efb5dfd
cacia3bf3b2801956318251db5e90f3c
1aadf739782afcae6d1c3e4d1f315cbd
c3e255888211d74cc6e3fb66b69bbffb
d9e9f22988d43d73d79db6ee178d70a4
16ab79fb2fd92db0b1f38bedb2f02ed8
8da15a97eaf69ff7ee184fc446f19cf1
ffc7305cb24c1955f9625e525d58aeec
c0e72eb4c9f897410c795c1b360090ef
9ad6fa6fdedb2df8055b3d30bd6f64f1
44619a88a6cff63523163c6a4cf375dd
a571660c9cf1696a2f4689b2007a12c7
81229c1e272218eeda14892fa8425883
0ac48cfa2ff8351365e99c1d26e082ad

```

## Appendix II – Additional technical details

The following table provides the full list of files stored in the VFS with a short description describing what the plugins do:

nn	Name	Short description
00	cs64.dll	C2 communication and command processing. WatchPoints document stealer.
01	cs32.dll	
02	li64.dll	LocallInfo. Collects a large amount of information, titled "TAJ MAHAL"
03	li32.dll	
04	ad64.dll	AudioRecorder. Microphone, Voice IP applications.
06	ad32.dll	
07	le64.dll	Open source-based LAME mp3 encoder

We use cookies to make your experience of our websites better. By using and further navigating this website you accept this. Detailed information about the use of cookies on this website is available by clicking on more information.

ACCEPT AND CLOSE

10	me64.dll	AudioRecorder for Windows Metro applications. Injects ma32.dll into “wwahost.exe” or “audacity.exe”.
11	me32.dll	
12	ma32.dll	AudioRecorder for Windows COM. Hooks IAudioClient, IAudioRenderClient, IMMDevice.
13	ams_api64.dll	Handy wrapper around API of exXX.dll, pdXX.dll, sgXX.dll.
14	ams_api32.dll	
15	ex64.dll	Orchestrator. Update/install/uninstall, selects target processes and loads plugins.
16	ex32.dll	
17	fe64.dll	Template of “Yokohama” Frontend module; is used for reinstalling.
18	fe32.dll	
19	pd64.dll	Provides API to access configuration settings, working files, egress queue.
20	pd32.dll	
21	libpng64.dll	Open source “libpng” library version 1.5.8 (February 1, 2012). Used by Screenshoter plugin (ssXX.dll).
22	libpng32.dll	
23	rs64.dll	Reinstaller/Injector.
24	rs32.dll	
25	ix32.dll	LoadLibrary call template dll is used by Reinstaller/Injector plugin (rsXX.dll) for injecting LoadLibrary call into running processes.
26	ix64.dll	
05	obj32.bin	Shellcode template is used by Reinstaller/Injector (rsXX.dll) and AudioRecorder4MetroApp (meXX.dll) for injecting into running processes. Both versions of “obj32.bin” are the same; it seems to be stored twice by mistake.
27	obj32.bin	
28	obj64.bin	
29	sc64.dll	Utility library. Provides API for cryptography, file, registry, memory management operations and so on.
30	sc32.dll	
31	sg64.dll	Library for managing egress queue (files and messages prepared to send to CC).
32	sg32.dll	
33	st64.dll	SuicideWatcher. Watches uninstall time, checks time diff (local time vs internet time).
34	st32.dll	
35	zip64.dll	Open source “XZip/XUnzip” library by Info-Zip + Lucian Wischik + Hans Dietrich. Is used by Indexer (inXX.dll) and
36	zip32.dll	

We use cookies to make your experience of our websites better. By using and further navigating this website you accept this. Detailed information about the use of cookies on this website is available by clicking on more information.

ACCEPT AND CLOSE

screenshots (ssXX.dll).

39	il32.dll	IM-Stealer. Steals conversation content from chat windows of instant messaging applications.
40	in32.dll	Indexer. Indexes files on victim drives, user profiles, removable drives. Built index files are zipped (by zipXX.dll) and put in send queue.
55	in64.dll	
41	isys9core_64.dll	Proprietary "ISYS Search Software" components are used by Indexer plugin. Licensee_ID1 "Q5GXU H5W67 23B4W SCQFD 4G7HV 9GSLW" Licensee_ID2 "objectviewer.exe"
42	isyspdf6_64.dll	
43	isyspdf_64.dll	
44	isysdc_64.dll	
46	isys9.key	
47	isys.cwd	
48	isys.elx	
49	isys9_32.dll	
50	isys9core_32.dll	
51	isyspdf6_32.dll	
52	isyspdf_32.dll	Open source "sqlite" library. Used by "ISYS Search".
53	isysdc_32.dll	
54	isysdc_64.dll	Thumbnailer. Makes and prepares to send thumbnails of found picture files.
56	isys9_64.dll	
45	sqlite3_64.dll	Thumbnailer. Makes and prepares to send thumbnails of found picture files.
54	sqlite3_32.dll	
57	tn32.dll	FreeImage open source library supports popular graphics image formats (ver 3.15.4 2012-10-27) ( <a href="http://freeimage.sourceforge.net">http://freeimage.sourceforge.net</a> ). Is used by Thumbnailer (tnXX.dll) plugin.
58	tn64.dll	
59	freeimage_32.dll	
60	freeimageplus_32.dll	
61	freeimage_64.dll	Keylogger & clipboard monitor.
62	freeimageplus_64.dll	
63	ku64.dll	Steals printed documents from spooler queue. This is done by enabling the "KeepPrintedJobs" attribute for each configured printer stored in Windows Registry: key: "SOFTWARE\\Microsoft\\Windows NT\\CurrentVersion\\Print\\Printers" value: "Attributes"
64	ku32.dll	
65	pm64.dll	EgressSender. Sends files from output
66	pm32.dll	
67	rc64.dll	

We use cookies to make your experience of our websites better. By using and further navigating this website you accept this. Detailed information about the use of cookies on this website is available by clicking on more information.

ACCEPT AND CLOSE

devices, Apple mobile devices backups list, IE version, SecurityCenterInfo (AV, Firewalls and AntiSpyware products), Hardware info, Installed soft including Metro Apps, Users, Autoruns).  
Check and send to C2 if something changed.

71	ss64.dll	Screenshotter. Periodic low resolution screenshots. High resolution screenshots of specified process windows and when recording VoicelP application audio. See "ss_pr" & "ss_wt_nm" cfg vars.
72	ss32.dll	
73	vm32.dll	Steal documents from fixed and removable drives. Watch CDBurnArea and steals written CD images.
74	vm64.dll	
75	wc64.dll	Periodically makes webcam camera snapshots.
76	wc32.dll	
77	default.cfg	Default configuration settings file.
78	runin.bin	List of processes names and associated plugins should be run inside these processes.
79	morph.dat	Configuration file stores path of work folders and registry keys.

APT MALWARE DESCRIPTIONS RAT TROJAN

TARGETED ATTACKS

Share post on:



## Related Posts

Operation ShadowHammer: a high-profile supply chain attack

New zero-day vulnerability CVE-2019-0859 in win32k.sys

Gaza Cybergang Group1, operation SneakyPastes

## THERE ARE 4 COMMENTS

We use cookies to make your experience of our websites better. By using and further navigating this website you accept this. Detailed information about the use of cookies on this website is available by clicking on more information.

ACCEPT AND CLOSE



INTERESTING

REPLY



**Feifel**

Posted on April 10, 2019. 11:42 am

This is the new NSA Spyware used since Snowden revealed.

REPLY



**Anon Coward**

Posted on April 15, 2019. 4:22 pm

Would have been nice to be clear about what operating systems this infects somewhere before the end!

REPLY



**Prantz**

Posted on April 23, 2019. 3:13 am

Is there any sample available of "Taj Mahal" for research purpose?

REPLY

We use cookies to make your experience of our websites better. By using and further navigating this website you accept this. Detailed information about the use of cookies on this website is available by clicking on more information.

ACCEPT AND CLOSE